



Eminent,  
Efficient &  
Economic



Zentriad is a multifaceted company having proficiency in manufacturing, Importing, Exporting, and wide-range Trading. It has profuse expertise in trading across domestic and overseas markets including Kingdom of Saudi Arabia, United Arab Emirates, Qatar, Sri Lanka, Bangladesh, Nepal; focused on merchandising Sensors, Industrial commodities, Building Materials and Sanitary Products. Zentriad upholds the values-first-rate quality products, excellent client service, timely delivery and efficient distribution network. Spark is our virtuoso product brand that we assure the high-grade quality for international market.



INDIA

Contact

+91 80868 61017  
+91 80865 610 17

info@zentriad.com  
www.zentriad.com

Thrissur, Kerala,  
India, Pin - 680 004

BRANCHES

KINGDOM OF SAUDHI ARABIA

+966 56 938 4143

UNITED ARAB EMIRATES

+971 50 9188 767

ESPANIA

+240 222 132 34

# Bath Fittings & Accessories

Product Catalogue

Complete Solution for  
Bath & Plumbing Fittings





## Extension Nipple

- ▶ Full Brass L-key type
- ▶ Available in special CP & bag packing
- ▶ Weight variation +/-2gm. will be there



33Gm.					40Gm.					50Gm.				
Code	Size	Gm.	Pcs/Box	Kg./Box	Code	Size	Gm.	Pcs/Box	Kg./Box	Code	Size	Gm.	Pcs/Box	Kg./Box
SBA-101	1"	33	48	1.59	SBA-108	1"	40	48	1.92	SBA-115	1"	50	48	2.4
SBA-102	1.5"	49	32	1.59	SBA-109	1.5"	60	32	1.92	SBA-116	1.5"	75	32	2.4
SBA-103	2"	65	24	1.56	SBA-110	2"	80	24	1.92	SBA-117	2"	100	24	2.4
SBA-104	2.5"	81	18	1.46	SBA-111	2.5"	100	18	1.8	SBA-118	2.5"	125	18	2.25
SBA-105	3"	97	16	1.55	SBA-112	3"	120	16	1.92	SBA-119	3"	150	16	2.4
SBA-106	4"	129	12	1.55	SBA-113	4"	160	12	1.92	SBA-120	4"	200	12	2.4
SBA-107	6"	193	8	1.54	SBA-114	6"	240	8	1.92	SBA-121	6"	300	8	2.4



## CP Brass Waste Coupling



Code	Size	Type	Weight
SBA-122	2.75	Full Thread	120GM
SBA-123	3"	Full Thread / Half Thread	150GM
SBA-124	3.5"	Full Thread / Half Thread	180GM
SBA-125	3.5"	Full Thread / Half Thread	200GM
SBA-126	5"	Full Thread / Half Thread	180GM
SBA-127	6"	Full Thread	215GM
SBA-128	9	Full Thread	285GM
SBA-129	POP UP 3"	Full Thread	220GM
SBA-130	POP UP 5"	Full Thread	

### Elbow



Code	Size
SBA-131	1/4 X 1/4 -Medium
SBA-132	1/4 X 1/4 - Heavy
SBA-133	Male/ Male

### Tee



Code	Size
SBA-134	1/4 X 1/4 -Medium
SBA-135	1/4 X 1/4 - Heavy

### Socket



Code	Size
SBA-136	Medium
SBA-137	Heavy

### W.M. Nozzle



Code	Size
SBA-138	M/F
SBA-139	Female

### Round Flange



Code	Size
SBA-140	Brass Round
SBA-141	S S Round

### Concealed Flange



Code	Size
SBA-142	Brass Round
SBA-143	S S Round

### Garden Nozzle



Code	Size
SBA-144	Brass Male
SBA-145	Brass Female

### C P Plug



Code	Size
SBA-146	Male
SBA-147	Female



Hex Nipple



Code	Size	Weight	Box Pcs.
SBA-148	½ x ½ L	400	24 Pcs.
SBA-149	½ x ½ M	500	24 Pcs.
SBA-150	½ x ½ H	600	24 Pcs.
SBA-151	½ x ½ H	900	24 Pcs.
SBA-152	½ x ½ L	-	18 Pcs.
SBA-153	½ x ½ M	-	24 Pcs.
SBA-154	½ x ½ H	-	12 Pcs.

Aqua Tee



Code	Size
SBF-155	¼ X ¼ -Medium

R O Valve Set



Code	Size
SBF-156	Set

R O Valve



Code	Size
SBF-157	R O

Cube Angle Valve



Code	Size
SBF-158	-

Aria Angle Valve



Code	Size
SBF-159	-

Hexa Angle Valve



Code	Size
SBF-160	Set

Turbo Angle Valve



Code	Size
SBF-161	Medium
SBF-162	Heavy

Bat Angle Valve



Code	Size
SBF-163	Medium
SBF-164	Heavy

Tri Angle Valve



Code	Size
SBF-165	Medium
SBF-166	Heavy

Open Angle Valve



Code	Size
SBF-167	Medium
SBF-168	Heavy

Flap Angle Valve



Code	Size
SBF-169	Medium
SBF-170	Heavy

Pendulum Angle Valve



Code	Size
SBF-171	Medium
SBF-172	Heavy

Leg Nut



Code	Finish
SBF-173	Brass / CP



Health Faucet  
ABS - CP Finish



Jumbo



Milano



Popular

Earth



Chromma



Vega



NEW

Super



NEW

Swift



Baleno Square



Rubic



Glanza White



Glanza Black



Chromma Black



Jumbo Black



Brass  
Health Faucet  
Duro



Frisbee

5" With 9" Tavera (SS) ARM

### ABS Bend Showers



### Rain Shower SS 304

Amaze



4"X6" With 9" Square (SS) ARM

Alive



4"X6" With 9" Square (SS) ARM

Tablet



4"X6" With 9" Square (SS) ARM

Amaze




3"X5" With 9" Square (SS) ARM

Koller



Size	Weight Square	Weight Round
4" X 4"	180 GM	
6" X 6"	390 GM	390 GM
8" X 8"	650 GM	650 GM
10" X 10"	1085 GM	
12" X 12"	1570 G	1570 GM

Amaze



Size	Weight Square	Weight Round
4" X 4"	241 GM	
6" X 6"	490 GM	400 GM
8" X 8"	800 GM	650 GM
10" X 10"	1300 GM	
12" X 12"	1800 GM	1400 GM
16" X 16"	1800 GM	

Elegant



Size	Weight Square	Weight Round
4" X 4"	220 GM	
6" X 6"	440 GM	440 GM
8" X 8"	750 GM	750 GM
10" X 10"	1650 GM	
12" X 12"	3000 G	1650 GM



### Shower Arms

Recta



Stainless steel with brass thread  
Size:12", 15", 18", 24"

L-Square



Stainless steel with brass thread  
Size:12", 15", 18", 24"

S-Bar




Stainless steel with brass thread  
Size:9", 12", 15", 18", 24"

J-Rod




Stainless steel with brass thread  
Size:12", 15", 18", 24"

Cool




Size	Weight
4" X 4"	165 GM
6" X 6"	350 GM
8" X 8"	590 GM
10" X 10"	907 GM
12" X 12"	1300 GM

Mist




Size	Weight
6" X 6"	530 GM
8" X 8"	810 GM
12" X 12"	1700 GM

Rain



Size	Weight
4" X 4"	165 GM
6" X 6"	350 GM
8" X 8"	590 GM
12" X 12"	1300 GM

Waterfall



Size	Weight
6" X 6"	460 GM
8" X 8"	800 GM
12" X 12"	1850 GM



## Bib Cock Garden Tap

Bib Cock garden tap made of brass and metal finished equipped with hose connector is Ideal for Outdoors, Garden, Kitchen, Bathroom, Washing Machine Inlet Hose Pipe and Wash Areas. Designed as a combination of ball valve and a nozzle bib cock to provide durability and a long life to the product. Forged from brass and has a brass ball that prevents leakage. Available in Brass finish, Chrome finish and Nickel finish models.



### Features and Benefits

- Corrosion Free, Leak Free, Drip Free
- Smooth and continuous flow
- Easy to fix and environment-friendly
- Made out of brass
- Ball valves system
- Perfectly designed
- Easy to open & shut, operated by a quarter turn
- Long lasting and weather proof
- Can be used for cold and hot application

## Brass Ball Valve

High Quality Brass Ball Valves for Commercial, Industrial and Residential Applications. Brass Ball Valve is made up of a composition mixture of copper and zinc. These materials provide ductility and corrosion resistance. Suitable for adding an on/off capability to a high pressure pipe system. Can be used for Water and other non-caustic liquids.



### Features and Benefits

- Corrosion Free, Leak Free, Drip Free
- Ideal for industrial use
- Durable and do not rust with moisture, UV rays, dust, or pollutants
- Smooth and continuous flow
- Quick installation and require less maintenance
- Made out of brass
- Ball valves system
- Perfectly designed
- Long lasting and weather proof
- Can be used for cold and hot application

Size (inch)	½"	¾"	1"	1¼"	1½"	2"	2½"	3"	4"
-------------	----	----	----	-----	-----	----	-----	----	----



## Water Float Switch

Water float switch manufactured with advanced electromechanical standards. Specially Formulated Engineering Polymers used for extreme safety and quality. Suitable for house hold equipment such as overhead water tanks, water purifiers. Use in potable water, sump and septic applications. Includes adjustable counter-weight. Constructed with non-toxic polypropylene. Float Level Switch Sensor is used as the level controlling device for the water tank, used as a dry run protection for submersible pump set.



### Features and Benefits

- Rated Voltage : 1~220/230/240V AC
- Rated Current : 10(4) A
- Frequency : 50/60Hz
- Max. Working Temperature : 70°C
- IP Rating : IP 68
- Body Size: 10 x 7.6 x 4.6cm (L\*W\*T)
- Cylinder Size: 6.3 x 4.8cm (H\*D)
- Material: Non-toxic Polypropylene
- Colour: Red, Blue, Orange with Black boarder Float Switch
- Weight: 500g Approx.

Cable Length (Metre)	2m	3m	5m	10m
----------------------	----	----	----	-----

## Floor Drain Traps

Floor Drain Traps made of superior grade stainless steel which is resistant to corrosion, chemical abrasion and is designed and made to trap waste granules at different levels of the Floor Drain Traps. Well-designed for enhancing different styles of interior settings. High quality Stainless Steel alloys of grades AISI/SAE 202, 304 and 316 are used to render strong and durable Floor Drain Traps



### Features and Benefits

- Aesthetic look
- Corrosion-free
- Precision made
- Smooth surface finishing
- Highly durable
- Easily washable
- Cost-effective



## Connection Hose

Best range of PVC and stainless steel flexible sanitary connection hose with chrome plated / PVC nuts meant for hot and cold water applications such as general sanitary applications, solar water lines, wash basins inlets, geysers etc. It has high flexibility, corrosion resistance and excellent quality for longer service life. It is substitute for both cold as well as hot water connections and better than the traditional metal connections. Available in standard sizes of 1.2 m and 1.5m, and also custom-sized connection hoses in PVC and metal can be provided as per client requirement.

### Features and Benefits

- Corrosion Free, Leak Free, Drip Free
- Easy to fix and environment-friendly
- Aerators can be cleaned easily
- UV stabilized, fatigue resistance and having high flexural strength
- Made out of Engineering Plastics
- No fading of colour, no dust of salt sedimentation
- Can be used for cold and hot application up to + 65°C
- Light in weight
- Excellent style and finish
- No moisture effect, like black spots
- Cost effective
- Long life assured for both plastic and metal parts in function

Size (Metre)	1.2 m (PVC/Metal)	1.5 m (PVC/Metal)
	Custom-size available on demand (PVC/Metal)	

## Teflon Seal Tape

Teflon Seal Tape is high density PTFE thread seal tapes are available in white color Suitable for lines carrying propane, butane, natural gas, water, oil and chemicals, usable on all type of pipes & threads, and capable to withstand pressure upto 100 PSIG, and temp.of -240°C to +260°C. We supply SPARK Brand PTFE Thread Seal tapes as per BS 4375 & MIL-T-27730A.

### Features and Benefits

- Corrosion Free, Leak Free, Drip Free
- Durable and do not rust with moisture, UV rays, dust, or pollutants
- Compact design requires considerably less space
- Comparatively light in weight
- Quick operation requires less time to open or close
- Available in very various sizes
- Low-pressure drop and high-pressure recovery

Specification: 12mm Width X 0.75mm	Thickness X 10 Meter Length
SPAQ & MOQ: 250 PCS	



## CPVC Ball Valve

CPVC ball valves are common in many applications that require fast and easy water shut-off, and distinctly more resistant to damage from high temperatures and harsh conditions. Used for Hot and cold water distribution in residential, commercial and public projects, solar heater application, fire fighting mains, Industrial applications, etc.

### Features and Benefits

- Excellent resistance to corrosion and chemical attacks
- Most suitable for carrying drinking water
- Light weight, easy and quick assembly
- Tough and rigid material which can withstand high pressure
- Simple and leak proof joints – 100% leak proof joints.
- Low thermal expansion
- Superior insulation properties
- High quality standards and wide range of specifications
- Maintenance free –Free from rusting, pitting or scaling and galvanic or electrolytic corrosion
- Long life and economical
- Unique and compact design

Size (inch)	½"	¾"	1"	1¼"	1½"	2"	2½"	3"	4"
-------------	----	----	----	-----	-----	----	-----	----	----



## uPVC Ball Valve

uPVC ball valves are very sturdy and have impressive strength. Since these ball valves are made up of uPVC, the material isn't softened in the manufacturing process to ensure the strength; thus they are sturdy in nature and are also corrosion resistant. It is a value-added long-term plumbing solution for building industry. Used for potable water distribution, plumbing & water distribution in residential & industrial buildings, industrial process lines, sugar, paper and distillery industries etc. under normal temperature applications.

### Features and Benefits

- Stronger, resilient and longer lasting
- Excellent Mechanical properties
- Excellent chemical and corrosion resistance
- Light in weight (1/6th the weight of metal piping)
- Simple and leak proof joints
- Most suitable for carrying drinking
- Excellent flow properties – free from rusting, pitting and offers good
- Resistant to scaling
- Wide range of pipes and fittings
- Maintenance free
- Overall economy and long life
- Unique and compact design

Size (inch)	½"	¾"	1"	1¼"	1½"	2"	2½"	3"	4"
-------------	----	----	----	-----	-----	----	-----	----	----

